

WHITE RIVER

POLL MERINO & MERINO STUD

DANIELL & SONS PTY LTD

44th Annual On-Property Ram Sale

THURSDAY 3rd AUGUST 2023

AUCTION COMMENCING @ 1pm MINNIPA SA



160 POLL MERINO & MERINO RAMS

Team penned by 10am for inspection prior to sale



AuctionsPlus™

Nutrien
Livestock™

Elders



QR code link to website and sale team videos

www.whiterivermerinos.com

WHITE RIVER
On property
POLL MERINO & MERINO
RAM SALE

Thursday 3rd August 2023

Inspection 10:00am

Auction 1:00pm

160 Poll Merino & Merino Rams 160

Ram side sampled on mid June 2023 and tested by Lazerline

OJD Status - MN3 (S34)

Brucellosis accredited free (No. 659)

Rebate of 3% to outside Agents introducing Buyers

IN WRITING 24 hours prior to sale.

Visit our website:

www.whiterivermerinos.com

EMAIL: eyrepark2@bigpond.com

JOHN - Mobile 0429 846 084

WES - Mobile 0428 882 214

Paul Cousins: Stud Adviser: Mobile 0427 922 108

Rick Power: (Eastern States Rep) 0437 131 925

OR YOUR STOCK AGENT

SIRES OF 2023 SALE TEAM:

POLL MERINO:

BLACK - Moorundie 061 (purchased from Moorundie for \$58,000)

MAROON - Moorundie 066

BLUE - WR 881 Family

GREEN - WR 546 Family

ORANGE - WR 1222

PURPLE - Moorundie 062 Family

GREY - WR 882 Family

GREEN - WR 661 (WR 881 Family)

YELLOW - WR1010 (WR 881 Family)

PINK - Moorundie Park 305 Family

MERINOS:

BLUE - WR 0002 (Sired by Wallaloo Park 112 sold for \$52,000 in 2018)

BLUE - JC & S Star Affair 641 Family

BLACK - Wanganella 750 Family

WHITE RIVER 2023 CATALOGUE.									
	LOT	Micron	S.D.	C.V.	C.F.%	FAT	EMD	SIRE	
POLL MERINO	1	19.2	2.8	14.8	99.6	7.5	45.7	M061	
POLL MERINO	2	20.8	3.3	15.7	99.4	8.4	44.4	SMITHY F	
POLL MERINO	3	20.6	2.6	12.7	99.8	6.4	44.9	WR546F	
POLL MERINO	4	21.3	3.3	15.4	98.9	8.4	44.4	WR881	
POLL MERINO	5	17.9	2.7	15.1	99.7	7.2	46.1	M061	
POLL MERINO	6	20.5	2.9	14.1	99.8	9.5	48.0	WR878	
POLL MERINO	7	19.9	2.8	14.0	99.4	7.0	46.4	M061	
POLL MERINO	8	20.7	3.5	16.9	99.1	6.6	45.9	M061	
POLL MERINO	9	21.8	3.4	15.6	99.5	8.0	46.4	WR1010	
POLL MERINO	10	21.6	3.1	14.2	99.3	8.8	44.8	WR1010	
POLL MERINO	11	21.2	2.7	12.6	99.5	6.5	47.7	WR661	
POLL MERINO	12	19.7	3.0	15.2	99.8	7.0	44.6	WR661	
MERINO	13	20.3	2.4	12.0	99.8	8.0	45.6	WR0002	
MERINO	14	19.7	3.0	15.0	99.8	8.5	48.2	SA641F	
POLL MERINO	15	18.4	2.7	14.7	99.7	7.1	45.9	WR560	
POLL MERINO	16	17.8	2.6	14.5	99.9	7.4	45.0	MO66	
POLL MERINO	17	20.0	3.0	15.0	99.7	7.0	44.2	WR878	
POLL MERINO	18	19.4	2.9	14.9	99.3	6.1	41.4	M062F	
POLL MERINO	19	18.1	2.7	14.9	99.5	4.4	41.3	MO66	
POLL MERINO	20	19.6	2.9	14.8	99.2	6.0	42.0	WR560	
POLL MERINO	21	19.2	2.9	15.1	99.2	6.1	44.7	M061	
POLL MERINO	22	20.2	3.2	15.8	99.1	7.2	43.2	M062F	
POLL MERINO	23	19.2	3.1	16.2	99.3	5.9	46.3	M061	
POLL MERINO	24	19.6	2.4	12.2	99.5	7.0	39.2	WR560	
POLL MERINO	25	19.0	2.7	14.2	99.3	6.8	44.2	POLLSYN	
POLL MERINO	26	21.4	2.6	12.1	99.5	8.0	39.0	WR546F	
POLL MERINO	27	18.6	2.9	15.6	99.0	9.0	42.5	POLLSYN	
POLL MERINO	28	19.0	3.0	15.8	99.8	6.8	43.2	WR560	
POLL MERINO	29	18.1	2.8	15.5	99.9	6.2	42.0	WR661	
POLL MERINO	30	17.2	3.9	22.7	99.1	5.2	43.0	MP305	
POLL MERINO	31	20.4	3.2	15.7	99.2	5.2	41.6	MP305	
POLL MERINO	32	20.7	3.1	15.0	99.2	6.3	39.6	MP305	
POLL MERINO	33	21.9	2.8	12.8	99.0	8.0	44.0	POLLSYN	

POLL MERINO	34	19.0	2.7	14.2	99.5	10.1	47.1	M061	
POLL MERINO	35	20.6	3.6	17.5	98.7	5.1	43.6	M062F	
POLL MERINO	36	20.2	3.0	14.9	99.2	7.6	44.8	M062F	
POLL MERINO	37	18.5	2.8	15.1	99.6	6.1	42.6	WR882F	
POLL MERINO	38	20.2	3.7	18.3	99.4	6.1	43.1	WR560	
POLL MERINO	39	20.7	3.2	15.5	99.3	6.6	42.0	M062F	
POLL MERINO	40	19.6	3.8	19.4	99.2	5.7	45.2	M062F	
POLL MERINO	41	19.6	3.0	15.3	99.5	6.1	41.4	M061	
POLL MERINO	42	20.9	2.5	12.0	99.6	8.6	44.0	WR546F	
POLL MERINO	43	18.4	2.6	14.1	99.9	7.0	45.2	WR560	
POLL MERINO	44	20.3	2.6	12.8	99.4	6.1	44.5	WR546F	
POLL MERINO	45	20.7	2.7	13.0	99.3	7.6	42.4	WR1058	
POLL MERINO	46	20.7	3.6	17.4	99.3	7.0	43.6	WR560	
POLL MERINO	47	22.5	3.2	14.2	99.0	6.1	49.1	WR546F	
POLL MERINO	48	20.6	3.4	16.5	99.2	7.3	44.0	WR546F	
POLL MERINO	49	21.4	3.2	15.0	99.0	7.2	47.8	M061	
POLL MERINO	50	20.9	3.2	15.3	99.2	6.8	45.4	M061	
POLL MERINO	51	18.7	3.3	17.6	99.6	6.1	41.3	WR878	
POLL MERINO	52	19.6	2.8	14.3	99.3	8.3	44.0	WR878	
POLL MERINO	53	19.0	2.8	14.7	99.1	6.5	38.7	WR560	
POLL MERINO	54	19.8	2.8	14.1	99.6	6.3	44.1	WR560	
POLL MERINO	55	20.2	3.0	14.9	99.7	6.4	43.0	WR560	
POLL MERINO	56	20.7	3.7	17.9	99.0	6.5	39.9	WR546F	
POLL MERINO	57	20.9	3.2	15.3	99.3	7.0	44.1	M061	
POLL MERINO	58	19.1	2.2	11.5	100.0	3.9	41.2	MO66	
POLL MERINO	59	18.0	2.9	16.1	99.8	5.5	40.0	WR661	
POLL MERINO	60	20.5	3.0	14.6	99.0	5.0	39.0	M062F	
POLL MERINO	61	21.0	3.3	15.7	99.2	6.6	42.5	M061	
POLL MERINO	62	20.3	3.3	16.3	99.2	5.5	42.5	M061	
POLL MERINO	63	21.2	3.8	17.9	98.7	6.8	45.4	M062F	
POLL MERINO	64	19.5	3.7	19.0	99.1	5.6	39.3	WR661	
POLL MERINO	65	18.7	2.4	12.8	99.4	6.9	43.2	M061	
POLL MERINO	66	19.1	2.7	14.1	99.4	6.9	40.9	WR0002	
POLL MERINO	67	21.0	3.1	14.8	99.1	6.1	41.3	WR1058	

POLL MERINO	68	20.8	3.2	15.4	99.3	8.1	43.2	M062F	
MERINO	69	20.5	3.5	17.1	99.3	7.9	39.5	SA641F	
MERINO	70	19.2	3.1	16.1	99.0	8.8	44.3	SA641F	
MERINO	71	18.6	3.1	16.7	99.4	8.9	41.7	W750F	
MERINO	72	21.9	2.7	12.3	99.8	7.8	44.5	W750F	
MERINO	73	19.9	3.1	15.6	99.1	7.3	44.3	WR1222	
MERINO	74	21.3	3.1	14.6	99	6.3	40.6	W750F	
MERINO	75	18.6	3.0	16.1	99.4	6.9	40.9	WR0002	
MERINO	76	21.3	3.2	15.0	99.0	6.3	40.1	W750F	
POLL MERINO	77	20.6	2.6	12.6	100.0	8.5	44.0	WR881	
POLL MERINO	78	20.1	2.8	13.9	99.3	4.9	41.0	M062F	
POLL MERINO	79	18.2	3.8	20.9	99.2	6.4	42.0	M062F	
POLL MERINO	80	18.9	4.3	22.8	98.7	5.3	45.0	MO66	
POLL MERINO	81	22.5	3.4	15.1	99.1	6.6	41.0	M062F	
POLL MERINO	82	20.6	2.8	13.6	99.4	6.1	42.8	WR546F	
POLL MERINO	83	19.8	3.5	17.7	99.1	6.0	43.2	WR546F	
POLL MERINO	84	21.5	2.8	13.0	99.4	6.6	42.8	POLLSYN	
POLL MERINO	85	20.5	2.6	12.7	99.6	7.5	39.5	WR882F	
POLL MERINO	86	17.8	2.6	14.6	99.2	5.1	44.7	WR546F	
POLL MERINO	87	19.9	3.6	18.1	99.2	8.0	42.0	WR1222	
POLL MERINO	88	22.0	3.0	13.6	99.3	7.3	43.1	WR546F	
POLL MERINO	89	20.6	2.9	14.1	99.4	6.6	41.9	M061	
POLL MERINO	90	20.9	2.8	13.4	99.2	7.3	38.9	SMITHY F	
POLL MERINO	91	19.2	2.6	13.5	99.4	6.8	43.6	WR1222	
POLL MERINO	92	20.7	3.2	15.5	99.2	7.6	44.5	WR1010	
POLL MERINO	93	18.8	2.9	15.4	99.4	7.6	44.0	WR661	
POLL MERINO	94	21.3	3.1	14.6	99.1	6.0	43.2	MP305	
POLL MERINO	95	18.3	2.7	14.8	99.4	6.5	40.3	POLLSYN	
POLL MERINO	96	19.6	2.9	14.8	99.3	5.6	44.6	MP305	
POLL MERINO	97	20.4	2.7	13.2	99.4	6.1	39.0	M061	
POLL MERINO	98	20.9	3.4	16.3	99.2	6.8	45.0	WR881	
POLL MERINO	99	19.7	3.2	16.2	99.4	6.4	39.4	WR881	
POLL MERINO	100	19.7	3.1	15.7	99.4	6.8	43.6	WR881	
POLL MERINO	101	21.6	3.0	13.9	99.2	5.9	40.0	WR881	
POLL MERINO	102	19.5	2.9	14.9	99.7	5.6	40.1	SMITHY F	
POLL MERINO	103	17.2	2.5	14.5	99.6	5.5	42.0	WR661	

POLL MERINO	104	18.4	3.1	16.8	99.5	7.3	41.6	WR1058	
POLL MERINO	105	20.8	3.4	16.3	99.1	5.3	40.3	WR881	
POLL MERINO	106	21.2	2.5	11.8	99.6	6.4	41.1	WR1010	
POLL MERINO	107	18.2	3.2	17.8	99.7	6.3	44.1	WR560	
POLL MERINO	108	20.5	3.5	17.1	99.2	6.6	41.9	WR881	
POLL MERINO	109	21.9	3.4	15.5	98.9	5.9	43.1	M062F	
POLL MERINO	110	18.6	3.5	18.8	99.1	6.6	42.5	WR1058	
POLL MERINO	111	19.2	2.6	13.5	99.8	5.8	42.5	WR1010	
POLL MERINO	112	20.9	3.0	14.4	99.1	6.0	41.2	WR560	
POLL MERINO	113	20.6	3.0	14.6	99.3	6.9	43.2	M061	
POLL MERINO	114	20.2	2.6	12.9	99.8	6.3	38.7	WR1058	
POLL MERINO	115	21.9	2.8	12.8	99.0	6.6	43.2	W750F	
POLL MERINO	116	19.3	3.1	16.1	99.4	5.1	38.5	MO66	
POLL MERINO	117	19.8	4.1	20.7	99.1	5.8	42.2	WR560	
POLL MERINO	118	18.5	2.8	15.1	99.5	6.8	39.4	WR878	
POLL MERINO	119	19.2	3.0	15.6	99.4	6.4	40.0	WR560	
POLL MERINO	120	18.3	2.9	15.8	99.4	5.0	43.4	WR1010	
POLL MERINO	121	19.6	3.4	17.3	99.4	7.8	43.5	WR540F	
POLL MERINO	122	18.2	2.8	15.4	99.5	8.4	41.1	WR882F	
POLL MERINO	123	18.9	3.3	17.5	99.2	6.5	43.4	WR661	
POLL MERINO	124	17.2	2.8	16.3	99.8	6.1	39.0	WR1010	
POLL MERINO	125	20.3	3.2	15.8	99.0	6.2	39.6	SMITHY F	
POLL MERINO	126	19.7	2.7	13.7	99.6	6.6	38.9	WR882F	
POLL MERINO	127	17.2	2.0	11.6	100.0	6.1	44.6	POLLSYN	
POLL MERINO	128	18.2	2.7	14.8	99.3	5.7	40.9	WR1010	
POLL MERINO	129	18.5	3.0	16.2	99.5	5.6	43.8	M062F	
POLL MERINO	130	18.1	2.7	14.9	99.5	6.0	37.6	WR881	
POLL MERINO	131	18.8	2.5	13.3	99.7	5.7	40.9	MO66	
POLL MERINO	132	21.0	3.3	15.7	99.1	6.1	44.4	WR1222	
POLL MERINO	133	16.4	2.4	14.6	99.6	5.1	41.9	MO66	
POLL MERINO	134	17.4	3.2	18.4	99.5	6.8	40.2	WR661	
POLL MERINO	135	20.1	2.4	11.9	100.0	6.4	44.2	POLLSYN	
POLL MERINO	136	21.1	3.2	15.2	99.3	4.8	42.7	WR661	
POLL MERINO	137	19.2	2.4	12.5	99.9	7.3	40.0	WR1058	

POLL MERINO	138	18.3	2.4	13.1	99.6	5.0	42.1	WR560	
POLL MERINO	139	20.6	3.6	17.5	99.0	6.6	41.7	WR882F	
POLL MERINO	140	17.5	2.9	16.6	99.4	7.0	39.7	MO66	
POLL MERINO	141	17.1	2.8	16.0	99.8	6.1	44.4	WR1222	
POLL MERINO	142	18.8	3.1	16.5	99.5	8.0	40.4	WR1058	
POLL MERINO	143	21.5	3.2	14.9	99.2	6.6	41.8	WR661	
POLL MERINO	144	17.9	2.6	14.4	99.9	5.8	40.0	SMITHY F	
POLL MERINO	145	22.1	2.9	13.1	99.1	8.7	41.6	WR882F	
POLL MERINO	146	18.1	2.7	14.9	99.3	8.6	43.2	M062F	
POLL MERINO	147	20.6	2.6	12.6	99.6	5.4	37.8	POLLSYN	
POLL MERINO	148	18.2	3.0	16.5	99.2	6.5	43.0	WR558	
POLL MERINO	149	20.6	3.3	16.0	99.1	7.3	42.1	SMITHY F	
POLL MERINO	150	18.5	3.0	16.2	99.7	6.5	43.0	M062F	
POLL MERINO	151	17.9	3.2	17.9	99.4	4.3	39.7	WR1058	
POLL MERINO	152	17.0	2.5	14.7	99.7	7.1	40.1	WR1058	
POLL MERINO	153	21.1	2.9	13.7	99.2	4.5	39.7	WR881	
POLL MERINO	154	19.1	2.9	15.2	99.3	6.1	40.8	POLLSYN	
POLL MERINO	155	19.0	3.5	18.4	99.0	5.0	44.5	WR1222	
POLL MERINO	156	21.2	3.0	14.2	99.6	8.0	38.9	WR661	
POLL MERINO	157	19.7	3.1	15.7	99.5	8.1	41.8	MO66	
POLL MERINO	158	17.6	2.3	13.1	99.9	4.5	41.7	M062F	
POLL MERINO	159	16.8	2.5	14.9	99.5	5.2	44.2	SMITHY F	
POLL MERINO	160	19.6	2.6	13.3	99.4	7.4	38.4	WR1058	

DISCLAIMER

The vendors warrant that the information provided in this brochure with respect to age and the shearing time is correct.

Whilst all care is taken with respect to other information contained in this brochure and with respect to information provided and representations made, the vendors accept no responsibility whatsoever with respect to such information and representations including, but without being limited to, information and representations concerning the expected wool microns, wool weights. Wool yields and repeatability of tests and the purchaser shall have no cause of action against the vendors with respect to such information or representation prove to be incorrect or misleading.

Every care has been taken in compiling this catalogue to ensure accuracy, but no responsibility is accepted for any errors or mis-description which may have occurred.