



On property

POLL MERINO RAM SALE

Thursday 8th August 2024

Inspection 10:00am

Auction 1:00pm

161 Poll Merino Rams

AVE: MIC 19.9 SD 2.8 CV 14.5 CF 99.5

Ram side sampled on mid June 2024 and tested by AWTA

OJD Status - MN3 (S34)

Brucellosis accredited free (No. 659)

Rebate of 3% to outside Agents introducing Buyers IN WRITING 24 hours prior to sale.

Visit our website: www.whiterivermerinos.com

EMAIL: eyrepark2@bigpond.com

WES - Mobile 0428 882 214

JOHN - Mobile 0429 846 084

Paul Cousins: Stud Adviser: Mobile 0427 922 108

Rick Power: (Eastern States Rep) 0437 131 925

OR YOUR STOCK AGENT

SIRES OF 2024 SALE TEAM:

POLL MERINO:

DARK BLUE – WR 067 (2022 Riverina wool Australian Champion Hogget Merino Ram)

MAROON – WR 981 (X WR881)

GREY – WR 882 (X POLL BOONOKE 948)

DARK GREEN – WR 661 (X WR 881)

LIGHT GREEN – WR 20858 (\$24,000 top price poll at 2023 on property sale)

BLACK – WR 567 (X Wallaloo Park 226)

BLACK – MOORUNDIE 061 (Purchased for \$58,000 in 2021)

BLACK – MOORUNDIE 061 2 (Son of MOORUNDIE 061)

ORANGE – MOORUNDIE 0002 (Purchased for \$58,000 in 2022)

RED – MOORUNDIE 388 FAMILY

YELLOW – WR 90878 (SMITHY FAMILY)

YELLOW – MOORUNDIE 081 (Purchased for \$18,000 in 2022)

YELLOW – WR 560 (MOORUNDIE 252 FAMILY)

PINK – MOORUNDIE PARK 305 FAMILY

PURPLE – MOORUNDIE 062 FAMILY

BROWN – MOORUNDIE 066 FAMILY

LIGHT BLUE – WR 881 FAMILY

	LOT	MIC	SD	CV	CF	FAT	EMD	SIRE	NOTES
POLL MERINO RAM	1	21.6	3.3	15.1	99.2	7.3	41.6	WR 067	
POLL MERINO RAM	2	21.2	2.2	10.4	99.9	6.8	43.7	WR 882	
POLL MERINO RAM	3	20.2	3.4	16.7	99.0	7.1	43.0	WR 067	
POLL MERINO RAM	4	19.8	2.5	12.7	99.8	7.7	44.6	WR 90878	
POLL MERINO RAM	5	19.1	2.8	14.8	99.8	6.1	41.0	WR 661	
POLL MERINO RAM	6	19.0	2.5	13.2	99.9	6.2	42.5	M 0002	
POLL MERINO RAM	7	20.0	3.0	14.9	99.4	8.0	43.9	MP 305 F	
POLL MERINO RAM	8	19.3	2.4	12.5	99.9	9.6	42.3	M 061	
POLL MERINO RAM	9	21.4	2.6	12.3	99.8	9.5	41.7	WR 567	
POLL MERINO RAM	10	20.1	2.7	13.7	99.5	6.8	43.2	WR 882	
POLL MERINO RAM	11	18.8	2.9	15.4	99.8	7.1	42.0	WR 661	
POLL MERINO RAM	12	21.2	3.0	14.0	99.6	7.6	41.1	WR 90878	
POLL MERINO RAM	13	20.8	2.8	13.4	99.7	7.8	44.8	WR 981	
POLL MERINO RAM	14	20.1	3.1	15.2	99.7	7.7	44.0	WR 20858	
POLL MERINO RAM	15	18.7	2.2	12.0	99.9	6.8	44.1	WR 567	
POLL MERINO RAM	16	19.7	2.7	13.6	99.9	6.6	39.2	M 061 2	
POLL MERINO RAM	17	18.0	2.4	13.4	99.9	7.6	44.1	M 0081	
POLL MERINO RAM	18	19.3	2.7	14.2	99.5	7.4	42.0	M 066	
POLL MERINO RAM	19	18.8	3.0	16.0	99.6	7.4	44.6	M066	
POLL MERINO RAM	20	19.7	3.2	16.2	99.6	7.8	42.0	WR 981	
POLL MERINO RAM	21	22.5	2.6	11.7	99.2	6.6	42.8	WR 067	
POLL MERINO RAM	22	20.9	3.2	15.5	99.6	7.0	40.8	WR 20858	
POLL MERINO RAM	23	21.6	2.8	13.1	99.7	6.5	41.0	WR 661	
POLL MERINO RAM	24	17.9	3.0	16.8	99.8	8.7	44.4	M 062 F	
POLL MERINO RAM	25	20.8	3.0	14.3	99.8	7.4	43.0	WR 661	
POLL MERINO RAM	26	20.8	3.5	16.7	99.5	8.4	41.7	WR 560	
POLL MERINO RAM	27	19.9	3.3	16.7	100	7.3	44.0	WR 560	
POLL MERINO RAM	28	20.7	3.3	15.8	99.3	8.3	41.4	WR 661	
POLL MERINO RAM	29	22.3	2.7	12.2	99.6	9.3	45.6	WR 20858	
POLL MERINO RAM	30	21.9	3.3	15.2	99.1	6.8	42.2	WR 20858	
POLL MERINO RAM	31	17.8	2.4	13.4	99.8	5.9	41.1	WR 981	
POLL MERINO RAM	32	20.2	2.7	13.2	99.8	8.9	45.0	M 062 F	
POLL MERINO RAM	33	20.2	3.2	16.1	99.7	6.6	42.6	WR 560	
POLL MERINO RAM	34	19.5	3.0	15.6	99.8	7.0	40.3	WR 881 F	
POLL MERINO RAM	35	21.9	3.1	14.0	99.4	7.8	42.3	M 062 F	
POLL MERINO RAM	36	17.5	2.8	15.9	99.9	6.2	40.4	WR 981	
POLL MERINO RAM	37	18.7	2.8	15.2	99.9	6.0	41.1	M 066	
POLL MERINO RAM	38	20.8	3.3	15.8	98.8	6.8	43.8	M 0002	
POLL MERINO RAM	39	20.4	3.5	17.1	98.8	7.3	45.1	WR 882	
POLL MERINO RAM	40	20.3	2.5	12.2	99.8	8.0	42.0	WR 20858	
POLL MERINO RAM	41	19.2	2.4	12.7	99.9	7.6	44.5	M 062 F	
POLL MERINO RAM	42	20.1	3.1	15.5	99.2	7.7	42.7	WR 388	
POLL MERINO RAM	43	22.2	3.0	13.6	99.3	4.8	43.3	WR 90878	
POLL MERINO RAM	44	18.2	2.6	14.1	100	7.1	43.6	M 0081	

POLL MERINO RAM	45	19.0	3.0	15.9	99.8	5.6	45.6	M 0081	
POLL MERINO RAM	46	20.1	3.1	15.6	99.6	6.6	45.1	M 066	
POLL MERINO RAM	47	21.6	3.0	13.9	99.5	3.9	44.0	WR 981	
POLL MERINO RAM	48	21.3	3.1	16.6	98.3	7.3	43.7	M 0002	
POLL MERINO RAM	49	21.9	3.1	14.3	98.9	7.3	42.7	WR 981	
POLL MERINO RAM	50	18.5	2.5	13.6	99.9	8.5	42.4	WR 20858	
POLL MERINO RAM	51	21.7	2.7	12.4	99.6	8.9	41.3	WR 20858	
POLL MERINO RAM	52	19.3	3.0	15.4	99.7	8.4	42.0	M 066	
POLL MERINO RAM	53	19.4	3.4	17.3	99.7	7.8	41.0	M 0002	
POLL MERINO RAM	54	22.3	2.8	12.5	99.8	8.0	43.9	M 066	
POLL MERINO RAM	55	20.3	3.1	15.4	99.3	9.0	44.1	WR 20858	
POLL MERINO RAM	56	19.2	2.6	13.4	99.8	6.0	40.4	WR 20858	
POLL MERINO RAM	57	20.1	2.5	12.3	99.9	5.6	40.1	M 062 F	
POLL MERINO RAM	58	22.3	3.3	14.7	99.0	6.5	41.0	WR 661	
POLL MERINO RAM	59	19.1	3.0	15.7	99.6	8.4	43.2	WR 20258	
POLL MERINO RAM	60	19.0	2.7	14.0	99.7	6.8	42.0	WR 981	
POLL MERINO RAM	61	19.1	2.6	13.6	99.9	6.0	41.7	M 066	
POLL MERINO RAM	62	19.7	3.4	17.0	98.9	6.5	42.2	WR 560	
POLL MERINO RAM	63	20.6	3.5	17.0	98.2	6.1	39.3	WR 661	
POLL MERINO RAM	64	20.1	3.2	15.8	99.8	6.4	42.5	WR 560	
POLL MERINO RAM	65	19.6	3.4	17.1	99.4	6.2	40.5	M 0081	
POLL MERINO RAM	66	19.7	2.7	13.8	99.8	6.9	43.0	WR 560	
POLL MERINO RAM	67	20.9	2.8	13.6	99.8	7.4	42.0	M 0612	
POLL MERINO RAM	68	22.3	3.3	14.7	99.0	8.0	41.7	WR 20858	
POLL MERINO RAM	69	18.6	3.1	16.8	99.7	7.1	41.7	WR 981	
POLL MERINO RAM	70	20.2	3.6	18.0	99.3	6.7	42.1	WR 981	
POLL MERINO RAM	71	19.2	2.8	14.8	99.9	7.4	43.2	WR 90878	
POLL MERINO RAM	72	22.1	3.3	14.8	98.8	6.5	41.0	M 061 2	
POLL MERINO RAM	73	20.7	2.6	12.4	99.6	6.4	41.2	M 006	
POLL MERINO RAM	74	19.4	3.2	16.4	100	7.1	39.7	WR 661	
POLL MERINO RAM	75	19.8	3.0	15.3	99.8	7.6	43.5	M 062 F	
POLL MERINO RAM	76	21.9	2.9	13.3	99.6	7.0	42.3	M 066 1	
POLL MERINO RAM	77	17.0	2.7	16.0	99.8	7.4	45.0	M 061 2	
POLL MERINO RAM	78	21.5	2.6	12.1	99.9	6.4	44.2	M 066 1	
POLL MERINO RAM	79	21.5	3.3	15.3	99.1	7.6	41.0	WR 90878	
POLL MERINO RAM	80	17.0	2.4	14.0	100	5.7	43.8	WR 20858	
POLL MERINO RAM	81	18.5	2.9	15.4	99.7	5.0	40.0	WR 30858	
POLL MERINO RAM	82	22.3	2.9	13.2	99.2	6.9	42.3	M 066 1	
POLL MERINO RAM	83	20.5	2.8	13.8	99.7	8.1	42.6	WR 388	
POLL MERINO RAM	84	19.1	2.7	14.1	99.7	5.3	40.0	M 0081	
POLL MERINO RAM	85	17.8	2.7	15.4	99.9	7.0	42.0	WR 567	
POLL MERINO RAM	86	20.7	2.8	13.7	99.8	7.5	40.0	M 0081	
POLL MERINO RAM	87	20.7	2.8	13.3	99.5	7.7	44.4	WR 20858	
POLL MERINO RAM	88	21.0	2.9	14.0	99.5	7.0	44.0	M 0002	
POLL MERINO RAM	89	20.2	2.7	13.5	100	6.6	42.9	M 0081	

POLL MERINO RAM	90	18.1	3.3	17.9	99.9	5.1	44.1	MP 305 F	
POLL MERINO RAM	91	19.5	2.2	11.5	99.9	7.5	41.2	WR 882	
POLL MERINO RAM	92	20.7	2.8	13.6	99.8	6.8	42.0	WR 981	
POLL MERINO RAM	93	19.5	2.8	14.2	99.8	5.9	41.1	M 062 F	
POLL MERINO RAM	94	18.7	3.3	17.8	99.7	8.0	42.8	WR 881 F	
POLL MERINO RAM	95	20.2	3.0	14.9	99.7	8.0	43.0	WR 20858	
POLL MERINO RAM	96	21.5	2.8	13.1	99.8	6.9	41.2	WR 20858	
POLL MERINO RAM	97	21.7	3.2	14.7	99.2	6.0	40.6	WR 20858	
POLL MERINO RAM	98	19.7	2.6	13.5	99.8	7.6	41.2	WR 560	
POLL MERINO RAM	99	20.0	2.7	13.6	99.5	7.3	43.3	M 061 2	
POLL MERINO RAM	100	20.3	2.9	14.1	99.8	6.9	38.2	WR 882	
POLL MERINO RAM	101	19.5	2.5	12.6	100	4.9	43.5	M 066 1	
POLL MERINO RAM	102	19.9	2.8	14.3	99.8	8.5	41.0	WR 388	
POLL MERINO RAM	103	21.7	2.7	12.6	99.6	7.8	42.9	WR 388	
POLL MERINO RAM	104	20.5	3.1	14.9	99.1	6.0	41.0	WR 981	
POLL MERINO RAM	105	19.5	3.0	15.5	99.5	5.7	43.0	WR 881 F	
POLL MERINO RAM	106	22.0	3.1	14.0	99.6	6.5	44.3	WR 20858	
POLL MERINO RAM	107	21.6	3.3	15.2	98.6	8.5	41.0	WR 1222	
POLL MERINO RAM	108	19.1	2.8	14.6	99.9	8.3	40.5	M 066 1	
POLL MERINO RAM	109	19.0	3.7	19.7	99.6	6.7	43.6	WR 661	
POLL MERINO RAM	110	21.1	2.5	11.6	99.8	7.3	42.1	M 061 F	
POLL MERINO RAM	111	20.8	2.9	13.8	99.9	7.3	43.2	WR 981	
POLL MERINO RAM	112	18.7	3.0	16.2	99.5	6.2	41.5	M 0002	
POLL MERINO RAM	113	19.9	2.5	12.6	99.9	6.6	42.0	W 067	
POLL MERINO RAM	114	21.2	2.6	12.3	100	6.0	39.0	M 066 1	
POLL MERINO RAM	115	18.0	2.8	15.6	99.8	7.1	42.5	WR 881 F	
POLL MERINO RAM	116	20.7	3.0	14.7	99.7	7.0	42.9	WR 981	
POLL MERINO RAM	117	22.2	2.9	13.2	99.6	7.9	41.9	WR 067	
POLL MERINO RAM	118	20.2	2.9	14.5	99.3	7.8	41.5	WR 661	
POLL MERINO RAM	119	19.8	2.7	13.7	99.8	6.0	41.9	WR 567	
POLL MERINO RAM	120	21.1	3.1	14.7	99.7	7.0	40.0	M 062 F	
POLL MERINO RAM	121	20.1	3.5	17.4	99.1	8.5	40.0	WR 067	
POLL MERINO RAM	122	20.5	2.6	12.9	99.8	5.3	40.9	WR 567	
POLL MERINO RAM	123	19.5	2.4	12.2	99.9	5.2	41.0	WR 20858	
POLL MERINO RAM	124	19.8	2.8	14.1	99.6	6.7	41.0	WR 20858	
POLL MERINO RAM	125	19.4	2.6	13.5	99.8	5.7	40.9	M 062 F	
POLL MERINO RAM	126	19.8	2.8	14.1	99.9	7.1	40.8	WR 661	
POLL MERINO RAM	127	20.4	3.2	15.8	99.6	7.5	44.6	WR 560	
POLL MERINO RAM	128	21.2	3.6	17.2	99.7	7.0	42.8	WR737	
POLL MERINO RAM	129	17.2	3.2	18.3	99.7	6.1	40.3	WR 066 2	
POLL MERINO RAM	130	20.8	3.0	14.4	99.7	5.0	42.5	WR 067	
POLL MERINO RAM	131	21.2	3.6	16.9	99.3	7.9	39.0	WR 388	
POLL MERINO RAM	132	17.7	3.0	17.2	99.7	8.3	42.1	WR 981	
POLL MERINO RAM	133	20.4	2.9	14.2	99.7	7.0	43.9	M 066	
POLL MERINO RAM	134	22.2	3.0	13.6	99.3	8.0	41.5	M 066 1	

POLL MERINO RAM	135	22.3	2.7	12.2	99.6	7.0	42.8	WR 881 F	
POLL MERINO RAM	136	20.6	2.7	13.0	99.9	4.6	43.0	WR 567	
POLL MERINO RAM	137	18.6	2.6	14.2	100	5.6	43.4	MP 305 F	
POLL MERINO RAM	138	21.3	3.5	16.6	98.3	8.0	44.0	WR 567	
POLL MERINO RAM	139	19.8	3.1	15.8	99.5	8.0	41.0	WR 067	
POLL MERINO RAM	140	20.2	2.6	13.1	99.7	7.1	42.0	M 066 2	
POLL MERINO RAM	141	20.2	3.0	14.9	99.6	7.7	39.8	M 066 1	
POLL MERINO RAM	142	19.9	3.0	15.3	99.7	7.9	39.0	WR 881 F	
POLL MERINO RAM	143	18.7	3.1	16.5	99.7	6.1	43.0	M 061 2	
POLL MERINO RAM	144	19.5	2.6	13.6	99.7	5.6	41.0	M 066	
POLL MERINO RAM	145	17.3	2.6	15.1	99.8	7.6	42.2	WR 20858	
POLL MERINO RAM	146	17.5	2.3	13.4	99.9	7.0	45.4	MP 305 F	
POLL MERINO RAM	147	19.4	2.5	12.7	99.9	5.6	42.4	M 066	
POLL MERINO RAM	148	20.5	2.6	12.9	99.8	7.3	45.2	M 061	
POLL MERINO RAM	149	19.5	3.0	15.4	99.7	6.5	44.4	WR 661	
POLL MERINO RAM	150	20.5	3.3	15.9	99.4	6.4	40.5	WR 1222	
POLL MERINO RAM	151	18.0	2.8	15.8	99.6	5.3	41.7	M 062 F	
POLL MERINO RAM	152	18.9	2.6	13.6	100	6.1	40.0	M 066 1	
POLL MERINO RAM	153	19.6	2.6	13.5	99.9	4.3	41.9	WR 881 F	
POLL MERINO RAM	154	21.1	2.7	12.7	99.7	7.6	43.5	M 0002	
POLL MERINO RAM	155	19.5	3.3	17.0	99.8	6.5	40.1	WR 981	
POLL MERINO RAM	156	19.5	3.0	15.3	99.8	8.5	40.2	M 066 1	
POLL MERINO RAM	157	20.5	3.4	16.4	99.2	6.7	42.0	WR 90878	
POLL MERINO RAM	158	21.2	3.3	15.7	99.1	6.8	42.8	WR 881 F	
POLL MERINO RAM	159	19.9	2.8	13.8	99.9	5.9	39.0	MP 305 F	
POLL MERINO RAM	160	19.4	2.6	13.6	99.7	6.0	43.4	WR 882	
POLL MERINO RAM	161	21.3	2.8	13.1	99.7	5.1	40.1	M 066 1	

DISCLAIMER

The vendors warrant that the information provided in this brochure with respect to age and the shearing time is correct.

Whilst all care is taken with respect to other information contained in this brochure and with respect to information provided and representations made, the vendors accept no responsibility whatsoever with respect to such information and representations including, but without being limited to, information and representations concerning the expected wool microns, wool weights. Wool yields and repeatability of tests and the purchaser shall have no cause of action against the vendors with respect to such information or representation prove to be incorrect or misleading.

Every care has been taken in compiling this catalogue to ensure accuracy, but no responsibility is accepted for any errors or mis-description which may have occurred.